

# CRISPR-Cas9-Mediated Genetic Screening in Mice with Haploid Embryonic Stem Cells Carrying a Guide RNA Library

Cuiqing Zhong, Qi Yin, Zhenfei Xie, Meizhu Bai, Rui Dong, Wei Tang, Yu-Hang Xing, Hongling Zhang, Suming Yang, Ling-Ling Chen, Marisa S. Bartolomei, Anne Ferguson-Smith, Dangsheng Li, Li Yang,<sup>\*</sup> Yuxuan Wu,<sup>\*</sup> and Jinsong Li<sup>\*</sup>

<sup>\*</sup>Correspondence: [liyang@picb.ac.cn](mailto:liyang@picb.ac.cn) (L.Y.), [yuxuan.wu@sibcb.ac.cn](mailto:yuxuan.wu@sibcb.ac.cn) (Y.W.), [jqli@sibcb.ac.cn](mailto:jqli@sibcb.ac.cn) (J.L.)

<http://dx.doi.org/10.1016/j.stem.2015.07.015>

(Cell Stem Cell 17, 221–232; August 6, 2015)

In the version of our paper originally published online on July 9, 2015, under the Experimental Procedures subsection “Derivation of AG-haESCs,” we included the line, “Each embryo was transferred into one well of a 96-well plate seeded with ICR embryonic fibroblast feeders in ESC medium supplemented with 20% knockout serum replacement, 1,500 U/ml LIF, 3 M CHIR99021, and 1 M PD0325901.” However, the concentrations of CHIR99021 and PD0325901 should have been written as 3  $\mu$ M CHIR99021 and 1  $\mu$ M PD0325901, and both the online and print versions of the article now reflect this change. We apologize for any confusion this may have caused.